



6730i and 6731i Headset Setup and Configuration





Contents

- Connecting a headset with an amplifier
- Connecting a headset without an amplifier
- Headset configuration using the Phone UI
- Making and Receiving Calls using the Headset
- Recommended Headset List

6730i/6731i – Headset Connection with Amplifier

Connect to RJ9 handset jack





RJ9 handset jack

- » Unplug the handset cord from the RJ9 jack on the bottom of the phone and plug it into the handset jack on the amplifier.
- » Plug the telephone cord from the amplifier into the RJ9 jack on the bottom of the phone.
- » Connect the headset to the headset port on the amplifier.

6730i/6731i – Headset Connection without an Amplifier

Connect to RJ9 handset jack



RJ9 handset jack

- » Unplug the handset cord from the RJ9 jack on the bottom of the phone.
 - **NOTE:** If setup this way the handset will no longer be connected so it can't be used.
 - The speakerphone still remains fully useable.



- » Plug the headset cord into the RJ9 jack on the bottom of the phone.

6730i/6731i – Headset Configuration using the Phone UI

- » Press the “**Options**” key on the phone and toggle down to.
 - **Preferences**
 - **Set Audio**
 - **Audio Mode**

- » Once in “**Audio Mode**” select either;
 - **Headset/Speaker**
 - **Speaker/Headset**

6730i/6731i – Making and Receiving Calls using the Headset

- » Making and Receiving Calls Using a Headset;
 - Press the Speaker  key to obtain a dial tone or to answer an incoming call. Depending on the audio mode selected from the options menu, a dial tone or an incoming call is received on either the headset or the hands free speakerphone.
 - Press the Goodbye  key to end the call.

6730i/6731i– Recommended Headset Model List

» The following is a list of recommended Headset Models;

– **GN Netcom**

- 2110ST
- 2120NC
- 2127
- 9120
- 9120NC
- GN9350

– **Plantronics**

- H251N
- HW251
- P251-U10P
- CS70N
- 510SL

– **Sennheiser**

- SH330